

To: Szaro, Deb[Szaro.Deb@epa.gov]; Spalding, Curt[Spalding.Curt@epa.gov]
From: Enck, Judith
Sent: Tue 3/29/2016 8:44:29 PM
Subject: Fwd: Google Alert - PFOA

Sent from my iPhone

Begin forwarded message:

From: Google Alerts <googlealerts-noreply@google.com>
Date: March 29, 2016 at 4:04:38 PM EDT
To: enck.judith@epa.gov
Subject: Google Alert - PFOA

PFOA

Daily update ☐ March 29, 2016

NEWS

APR 1

Town of Chatham testing for PFOA

WRGB

CBS6 spoke with Maria Lull, the Town of Chatham Supervisor, who says that at the last board meeting, the town engineer was authorized to have ...

   [Flag as irrelevant](#)

NEWS 10 ABC

Meeting held in Pownal to discuss possible PFOA concerns in water

NEWS10 ABC

If people live outside that radius and want their well-tested, they have to do it themselves for now but if they find PFOA the state will reimburse them.

[Officials answer questions on Pownal water contamination](#) - WCAX

[Full Coverage](#)

   [Flag as irrelevant](#)

APR 1

Residents pack Pownal American Legion, bring PFOA worries

WPTZ

The views expressed are not those of this site, this station or its affiliated companies. By posting your comments you agree to accept our terms of use.

   [Flag as irrelevant](#)

Against Pownal, Pownal

PFOA Contamination Extends To Pownal

Vermont Public Radio

The discovery of **PFOA** in Pownal has opened up a whole new set of ... levels of **PFOA**, a suspected carcinogen that was used in the wire coating.

[U.S. Rep. Welch visits North Bennington](#) - Brattleboro Reformer

[Pownal, Vt. residents look for answers on potentially unsafe water](#) - WNYT

[Full Coverage](#)

   [Flag as irrelevant](#)

[The Intelligence](#)

Ayotte Calls on EPA to Act on Water Contamination

PoliticalNews.me (press release)

More recently, **PFOA** has been detected in public and private water ... additional impacted communities have reported increased levels of **PFOA** in ...

[Safety of drinking water disputed](#) - Bucks County Courier Times

[Safety of drinking water in parts of Bucks, Montgomery counties disputed](#) - Bucks County Courier Times

[Emerging contaminants present health concerns for water supply](#) - Water Technology Online

[Full Coverage](#)

   [Flag as irrelevant](#)

[Chemical found in more wells in Merrimack, Litchfield areas](#)

WMUR Manchester

The department ordered the testing of wells for perfluorooctanoic acid, or **PFOA**, within a one-mile radius of the Saint-Gobain Performance Plastics ...

   [Flag as irrelevant](#)

You have received this email because you have subscribed to **Google Alerts**.

[Unsubscribe](#)

[Receive this alert as RSS feed](#)

[Send Feedback](#)